IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org







CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

SINGFORM ENTERPRISE CO., LTD

75-1 TA-KER LEE PUTZE CHIA-YI HSIEN , TAIWAN

Product: Shower Pan Liners (PVC)

Products are in compliance with the following code(s): Uniform Plumbing Code (UPC®) Products are certified to the following standard(s) ASTM D4551-2017

File Number: 14122

Effective Date: March 2023

Void After:

March 2028*

Chairman, Product Certification Committee



Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING



Issued To: SINGFORM ENTERPRISE CO., LTD

File Number: 14122

Product: Shower Pan Liners (PVC)

Effective Date: March 2023

Void After: March 2028

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Material complying with ASTM D4551 shall be continuously marked and shall include the following spaced out at intervals of not more than 2 ft. (610mm): Manufacturer's name (or brand name or trademark), material designation, "Grade 30 or Grade 40", with which the sheet complies, "ASTM D4551" and the UPC® certification mark.

Characteristics:

A 30 or 40 mil PVC waterproofing membrane for use as shower pan liners. Available in rolls of various widths and lengths. Sheets are to be joined and installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

NOTE: A layer of standard grade fifteen (15) pound asphalt impregnated roofing felt must be formed to the sub-base prior to installing the 30 mil material. Manufacturer furnished dam corners are required.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING



Issued To: SINGFORM ENTERPRISE CO., LTD

Effective Date: March 2023

File Number: 14122

Product: Shower Pan Liners (PVC)

Void After: March 2028

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description
30 MIL	PVC Shower Pan liner available in widths 48" (3012) , 60" (3015) , 72" (3018), 79" (3020)
40 MIL	PVC Shower Pan liner available in widths 48" (4012) , 60" (4015) , 72" (4018), 79" (4020)